

 Ridgeview Professional Building – Pond Level, Suite 2 (Take Elevator down to -2)
 560 South Maple Street Waconia, MN 55387

424 St Hwy 5 W Waconia MN 55387

□ Two Twelve Medical Center - Suite 320 111 Hundertmark Road Chaska, MN 55318

FIRST LAST NAME ADDRESS CITY STATE ZIP

Г

Procedure:	Endoscopy (EGD)	Date:	Arrival Time:

Dr. Dawn Stapleton

Т

□ Dr. Timothy Thormodsgard

Dr. Steven Turner

Patient Responsibility	 Contact your Insurance Company to verify coverage and benefits. If prior authorization is required prior to procedure, contact your primary care clinic for a referral to be submitted to insurance. A driver is required on the day of the procedure. If you need to cancel or change your appointment, please call Lakeview Clinic at 952-442-5755 	
Diabetics: Please read	• If you are taking oral medications or using Insulin, please contact your primary care provider or Endocrinologist as they may need to be adjusted and you may need a modified diet prior to procedure.	
7 days prior to Procedure	• <u>Stop</u> GLP-1 medications: Dulaglutide (Trulicity), Exenatide (Byetta, Bydureon), Liraglutide (Victoza), Lixisenatide (Adlyxin), or Semaglutide (Ozempic, Rybelsus, Wegovy) Check with your primary care provider or Endocrinologist before temporarily stopping these medications	
5 days prior to Procedure	 <u>Stop</u> taking Coumadin (Warfarin) <u>Stop</u> taking Plavix. Discuss with primary care physician or cardiologist prior to stopping 	

Continued on next page \rightarrow

2 -3 days prior to Procedure	• Xarelto (Rivaroxaban), Pradaxa (Dabigatran Etexilate) and Eliquis: It is recommended to stop taking these medications two days prior to your procedure. If you have chronic kidney disease these medications should be stopped three days prior to your procedure. If your primary care provider DOES NOT want you to stop taking these medications, please have your primary care provider contact the provider doing the procedure
1 (one) day prior to Procedure	 <u>No</u> alcoholic beverages 24 hours prior to procedure You may and should eat normally throughout the day
Starting at midnight through procedure	 Clear liquids only: Gatorade, water, apple juice, soup bouillon (NO RED LIQUIDS) <u>Avoid</u> dairy products, large quantities of caffeinated products and carbonated beverages No tobacco products (cigarettes, smokeless, e-cigarettes, etc) after midnight the night before your scheduled procedure.
Day of your Procedure	 <u>5:00am</u> Take your essential medications (except as mentioned) with a small amount of water. Wait to take any non-essential medications until after the procedure <u>Do not eat breakfast. NO SOLID FOODS.</u> You may have clear liquids but <u>do not</u> drink any fluids <u>2 hours before</u> your check in time

Day of your Procedure

If you have any questions, please contact the Procedure Scheduling Team at Lakeview Clinic at (952) 442–5755

Comments: