



- Ridgeview Professional Building – Pond Level, Suite 2
(Take Elevator down to -2)
560 South Maple Street Waconia, MN 55387
- Two Twelve Medical Center - Suite 320
111 Hundertmark Road Chaska, MN 55318

First and Last Name
Street address of patient
City, State and Zip Code

Procedure: Endoscopy (EGD) Date: _____ Check In Time: _____

- | | | |
|---------------------------------------|-------------------------------------------|-------------------------------------|
| <input type="checkbox"/> Dr. Elftmann | <input type="checkbox"/> Dr. Stapleton | <input type="checkbox"/> Dr. Petkov |
| <input type="checkbox"/> Dr. Taylor | <input type="checkbox"/> Dr. Thormodsgard | <input type="checkbox"/> Dr. Turner |

Patient Responsibility	<ul style="list-style-type: none"> Contact your Insurance Company to verify coverage and benefits. If prior authorization is required prior to procedure, contact your primary care clinic for a referral to be submitted to insurance. A driver is required on the day of the procedure. <i>If you need to cancel or change your appointment, please call Lakeview Clinic at 952-442-4461 Ext 17103</i>
Diabetics: Please read	<ul style="list-style-type: none"> If you are taking oral medications or using Insulin, please contact your primary care provider or Endocrinologist as they may need to be adjusted and you may need a modified diet prior to procedure.
7 days prior to Procedure	<ul style="list-style-type: none"> Stop GLP-1 medications: Dulaglutide (Trulicity), Exenatide (Byetta, Bydureon), Liraglutide (Victoza), Lixisenatide (Adlyxin), or Semaglutide (Ozempic, Rybelsus, Wegovy) Check with your primary care provider or Endocrinologist before temporarily stopping these medications
5 days prior to Procedure	<ul style="list-style-type: none"> Stop taking Coumadin (Warfarin) Stop taking Plavix. Discuss with primary care physician or cardiologist prior to stopping

Continued on next page →

<p>3 days prior to Procedure</p>	<ul style="list-style-type: none"> • If you have chronic kidney disease, stop taking Xarelto (Rivaroxaban), Pradaxa (Dabigatran Etexilate) and Eliquis. If your primary care provider DOES NOT want you to stop taking these medications, please have your primary care provider contact the provider doing the procedure
<p>2 days prior to Procedure</p>	<ul style="list-style-type: none"> • Stop taking Xarelto (Rivaroxaban), Pradaxa (Dabigatran Etexilate) and Eliquis. If your primary care provider DOES NOT want you to stop taking these medications, please have your primary care provider contact the provider doing the procedure
<p>1 (one) day prior to Procedure</p>	<ul style="list-style-type: none"> • No alcoholic beverages 24 hours prior to procedure • You may and should eat normally throughout the day
<p>Starting at midnight through procedure</p>	<ul style="list-style-type: none"> • Clear liquids only (Gatorade, water, apple juice, soup bouillon) • Avoid dairy products, large quantities of caffeinated products and carbonated beverages • You should not eat or use tobacco in any form
<p>Day of your Procedure</p>	<ul style="list-style-type: none"> • 5:00am Take your regular medications (except as mentioned) with a small amount of water. Wait to take any non-essential medications until after the procedure • Do not eat • You may have clear liquids but do not drink any fluids 2 hours before your check in time
<p>Day of your Procedure</p>	<ul style="list-style-type: none"> • A driver is required to drive you home. Your driver must pick you up within 2 hours after dropping you off. Public transportation is not an option. • Bring all prescription medications and supplements with or bring a complete list with dosing and instructions • Wear loose fitting clothing • Do not wear perfume or cologne • Bring photo ID and Insurance card(s)

If you have any questions, please contact Kathy or Marie in Procedure Scheduling at Lakeview Clinic at (952) 442-4461 Ext 17103.

Comments: